

00 00 00 00 00 00 00 00 00 00




Fig. 1 PRIOR ART




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12

$\times 125$

$\times 125$

$40\mu m$




Fig. 13A.

$20\mu m$

$20\mu m$




Fig. 13B $\times 250$

Fig. 13C $\times 250$






Fig. 14




Fig. 15

$\times 125$

$\times 125$

40 μm

40 μm




Fig. 16A

20 μm

$\times 250$

20 μm

$\times 250$

20 μm

$\times 250$

20 μm

$\times 250$





Fig. 16B

Fig. 16C




Fig. 17





Fig. 21

Fig. 18






Fig. 19




Fig. 20

Fig. 22A

390mJ/cm²




Fig. 22B

400mJ/cm²





Fig. 22C



$\times 250$



Fig. 23A

$\times 250$



Fig. 23B

$\times 250$




Fig. 23C





Fig. 24

Fig. 25A


390mJ/cm²



×250


Fig. 25B

400mJ/cm²



×250

Fig. 25C



×250


Fig. 26A



390mJ/cm²

x250


Fig. 26B



400mJ/cm²

x250

Fig. 26C



410mJ/cm²

x250





Fig. 27

x250

y25


Fig. 28A



390mJ/cm²

x250


Fig. 28B



400mJ/cm²


x250

Fig. 28C



x250


Fig. 29A



390mJ/cm²

x250


Fig. 29B



400mJ/cm² 3h⁻¹/cm²

x250

Fig. 29C






Fig. 30




Fig. 31




Fig. 32